EK

	Application No.	Applicant(s)
Notice of Allowability	10/777,591	FELDSTEIN, ROBERT S.
	Examiner	Art Unit
	Adam C. Rehm	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 10/26/2005.		
2. The allowed claim(s) is/are 7 and 10-21.		
3.		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview S Paper No. 08), 7. ⊠ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), 'Mail Date <u>2006/01/11</u> Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 10/777,591 Page 2

Art Unit: 2875

## **DETAILED ACTION**

## **Examiner's Amendment**

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Eliot Gerber on 01/11/2006.
- 3. The application has been amended as follows: Claim 7, Line 13: add –surfaces.--so that line 13 reads "curved walls having reflective surfaces."
- 4. The following is an examiner's statement of reasons for allowance: no art of record discloses a lighting fixture having at least three LEDs and two elongated rod focusing lenses spaced from and parallel to each other and the LEDs with the first rod focusing light into a line of light and the second rod focusing light onto the first focusing lens.
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2875

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam C. Rehm whose telephone number is 571.272.8589. The examiner can normally be reached on M-F 9-5:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 571.272.2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ACR 1/11/2006

> THOMAS M. SEMBER PRIMARY EXAMINER

Page 3